



ampersand in url

[All](#) [Images](#) [Videos](#) [News](#) [Shopping](#) [Maps](#) [Books](#)

About 1,080,000 results

**Any time**

Past hour

Past 24 hours

Past week

Past month

Past year

**All results**

Verbatim

[http - escaping ampersand in url - Stack Overflow](#)<https://stackoverflow.com/questions/.../escaping-ampersand-in-url> ▾

Sep 1, 2014 ... They need to be percent-encoded: > encodeURIComponent('&') "%26". So in your case, the **URL** would look like: http://www.mysite.com?candy\_name=M% 26M.

[url encoding - Should an ampersand be URL encoded in a que...](#) Jan 28, 2017[What do a question mark \(?\) and an ampersand \(&\) mean in a ...](#) Jul 7, 2016[http - Is a trailing ampersand legal in a URL?](#) Nov 6, 2011[uri - Can we use & in url?](#) Nov 7, 2009[Using Ampersands \(&'s\) in URLs - BurnIgnorance](#)[burnignorance.com/web-development.../using-ampersands-s-in-urls/](http://burnignorance.com/web-development.../using-ampersands-s-in-urls/) ▾

Note that when replacing & with &amp; is only done when writing the **URL** in HTML, where "&" is a special character (along with "<" and ">"). When writing the same **URL** in a plain text email message or in the location bar of your browser, you would use "&" and not "&amp;".

[URL Percent Encoding and Ampersand Char - Xah Code](#)[xahlee.info/js/url\\_encoding.html](http://xahlee.info/js/url_encoding.html) ▾

Jun 2, 2009 ... If the char is used as part of the file name or path, then it should be encoded as %26 , but if it is used as a separator for CGI parameters, then it should be encoded as &amp; . The **ampersand** char is a reserved char in Percent encoding. Therefore it must be percent encoded if it is used for normal file path names.

[Yes or No for Ampersand "&" in SEO URLs | Moz Q&A | Moz](#)<https://moz.com/community/q/yes-or-no-for-ampersand-in-seo-urls> ▾

Feb 20, 2013 ... Hi Mozzers. I would like to know how crawlers see the **ampersand** (& or &amp) in your **URLs** and if Google frown upon this or not? As far as I know they purely recognise this as "and" is this correct and is there any best practice for implementing this, as I know a lot of people complained before about & in ...

[Common HTML Validation Problems - HTMLHelp.com](#)[www.htmlhelp.com/tools/validator/problems.html](http://www.htmlhelp.com/tools/validator/problems.html) ▾

**Ampersands (&'s)** in **URL** s. Note that replacing & with &amp; is only done when writing the **URL** in HTML , where "&" is a special character (along with "<" and ">"). When writing the same **URL** in a plain text email message or in the location bar of your browser, you would use "&" and not "&amp;".

[Writing HTML in a SCRIPT ... - Ampersands \(&'s\) in URL s](#)

### [Ampersand in URL filename = bad request. | The ASP.NET Forums](#)

<https://forums.asp.net/t/1371764.aspx?Ampersand+in+URL...> ▼

Hi there. I have a .NET module that Handles .CustX files and performs some special processing. The problem I'm running into is when I use the **ampersand** & in the file name, a BAD REQUEST error i...

### [Having an ampersand & in the Url Path | The ASP.NET Forums](#)

<https://forums.asp.net/t/1265083.aspx?Having...ampersand...Url...> ▼

I am working on a website that allows the tagging of certain items. We currently allow an **ampersand** in the tag e.g. r&b. When those tags are displayed they are rendered in anchors with the text...

### [How to Write Valid URL Query String Parameters | Perishable Press](#)

<https://perishablepress.com/how-to-write-valid-url-query-string-parameters/> ▼

Nov 30, 2008 ... Replace **ampersands** with &amp;. One of the reasons these links aren't validating is because they contain non-encoded **ampersand** ( & ) characters. **Ampersands** are often used in **URL** query strings to demarcate granular chunks of information, for example:

### [How to use ampersands in HTML: to encode or not to encode ...](#)

<https://mrcoles.com/blog/how-use-amersands-html-encode/> ▼

Aug 1, 2010 ... In Django, you would write something like this: `window.location = '{{ url|escapejs }}'`. Also, if this is inline javascript—in an HTML document, not a separate .js file — then you still shouldn't escape the **ampersand**, which means the document will not validate as XHTML. Either throw it into a separate .js file or ...

### [Escaping the Ampersand in URL with field that contains ampersand?](#)

<https://www.experts-exchange.com/.../Escaping-the-Ampersand-in-URL-with-field-that-contains-ampersand.html> ▼

Dec 20, 2013 ... ColdFusion 5 - SQL Server 2000. I have a form with an input field that sometimes gets input with an **ampersand** (&) ... When I pass the **URL** to the next page, 'Me & Bobby' becomes 'Me ' ... I know this is because ColdFusion automatically considers anything after the **ampersand** to be a value pair. I am (a) ...

### Searches related to **ampersand in url**

[escape ampersand in url javascript](#)

[url encode](#)

[& in url](#)

[&amp; in url](#)

[encoded ampersand](#)

[ampersand in domain name](#)

[encoded ampersand](#)

[ampersand in domain name](#)

[encoded ampersand in xml](#)

[symbol in url](#)



1 2 3 4 5 6 7 8 9 10 **Next**

[Advanced search](#)   [Search Help](#)   [Send feedback](#)

[Google Home](#)   [Advertising Programs](#)   [Business Solutions](#)   [Privacy](#)   [Terms](#)  
[About Google](#)