

Wat (trefwoorden in de titels, beschrijving of meta data)



Waar (Adres, locaties, Zip of post-index)

 **Uitgebreid zoeken**

Zoek aanbiedingen

Inloggen

E-mail:

Wachtwoord:

[Maak een account aan](#)

[Wachtwoord vergeten?](#)

[Facebook Login](#)

★ [Snel lijst](#)

[Home](#) » [Denon M1050R](#)

Denon M1050R

Ingezonden door [admin](#) op 01/06/11 21:41

in MiniDiscs



[+](#) Share / Save [f](#) [t](#) [r](#)

print aanbieding

krijgt notering in pdf

toe te voegen aan Quick List

e-mail naar een vriend

e-mail tot de notering
eigenaar

0 Beoordelingen

Korte beschrijving

Denon M1050R

Informatie

Auto Level Rec start

Auto Track Increment

Stereo/Mono recording (74/148 min.)

UTOOC Writing

The U-TOC recording method is selectable. (Manual/Auto is switched according to the preset U-TOC mode.)

Using CUE Signals to make searches

Editing

1) Basic Editing

- DIVIDE, ERASE TRACK/DISC, COMBINE, MOVE, TRACK/DISC NAME

2) Erase any A-B section.

3) A-B section can be inserted into any track.

4) Cue signals also can be edited.

Undo function

SCMS : Recording is possible without reception of the copy defeat restriction. Writing of the copy defeat code is selectable.

Easy operations from IBM-PC compatible keyboard

Hot Start unit ACD-26HM (Option)

19 inch Rack Mountable (Height: 3U)

Large FL Display, Illuminated Rubber Button

Track Search Select knob (Easy track selection)

Jog/Shuttle Wheel

Program Play

Play mode & Finish mode

Auto Cue

End Monitor

End Of Message (EOM)

Pitch Control (+-9.9 %, 0.1 % step)

Instant Start

Rich Array of External Control Terminals

Sampling Rate Converter unit ACD 25-FSM (Option)

External Sync unit ACD-27MS (Option)

Dimensions : 483 (W) x 132 (H) x 297 (D) mm

Weight : 6.9 kg

0 Beoordelingen

Categorieën

→ [Biografie \(19\)](#)

→ [djs \(20\)](#)

→ [Producten \(43\)](#)

→ [MiniDiscs \(3\)](#)

→ [Mixers \(12\)](#)

→ [Vraag en Aanbod \(0\)](#)

→ [apparatuur \(0\)](#)

→ [muziek \(0\)](#)

