

ASC – Reglatoare debit cu filet interior



Valva control debit seria ASC

Descriere

- Structura compacta.
- Posibilitatea de exhaustare si de a miscora din debit. Precizie maxima.
- Se poate instala in mai multe pozitii pentru a facilita actiunea.

Specificatii

Model	ASC100-06	ASC200-08	ASC300-10	ASC300-15	
Fluid	Aer(filtrat print-un filtru de 40µm)				
Alimentare ①	1/8"	1/4"	3/8"	1/2"	
Flansa de presiune	0.05~0.95MPa (7~135Psi)				
Presiune maxima	1.5MPa(215Psi)				
Temperatura °C	-20~70				
Material	Aliaj de aluminiu				
Debit (L/min)	Control debit	200	450	1250	1650
	Debit liber	400	800	1500	2500




①Sunt disponibile filete tip NPT si G.


Support tehnic live

Support tehnic 24/24

Simbol




Cod comanda




Dimensiuni


ASC100



ASC200



ASC300



Tip/Cota	ASC100-06	ASC200-08	ASC300-10	ASC300-15
A	22	26	35	35
B	32	36	50	50

C	1/8"	1/4"	3/8"	1/2"
D	18	23	32	32
E	23	27	37	37
F	4.3	4.3	5.3	5.3
G	46.8	50.8	65	65

Tip/Cota	ASC100-06	ASC200-08	ASC300-10	ASC300-15
H	52.3	56.3	74	74
I	M6×0.5	M6×0.5	M8×0.75	M8×0.75
J	M12×0.75	M12×0.75	M16×1.0	M16×1.0
K	10	13.5	17.5	17.5
L	18	18	28	28
M	26	30	40.5	40.5
N	8.6	8.6	10.2	10.2

Produse

Cilindri pneumatici
Distribuitoare pneumatice
Fitinguri

Despre noi

Compania
Parteneri
Contact

Contact rapid

Tel./Fax: (+4) 031.437.01.40
E-mail: office@atsol.ro

Furtunuri pneumatice
Unitati de preparare aer
Actuatori
Scule si unelte pneumatice
Pistoale aer

Google My Maps

Unavailable

This map is no longer available because
was moved to the trash. Please contact
owner to restore access.

© 2017 Air Tech Solutions . All rights reserved.

[Home](#) | [Catalog](#) | [Parteneri](#) | [Compania](#) | [Unitati de preparare aer](#) | [Cilindri pneumatice](#) | [Furtunuri pneumatice](#) | [Scule si unelte pneumatice](#) | [Cine suntem](#)
| [Download Catalog Pneumatice 2015](#) | [Contact](#)